

# Bulloo Shire Council

53 Dowling Street, Thargomindah  
PO Box 46,  
Thargomindah QLD 4492

Telephone 07 4621 8000 Facsimile 07 4655 3131

Email [council@bulloo.qld.gov.au](mailto:council@bulloo.qld.gov.au)

Website [www.bulloo.qld.gov.au](http://www.bulloo.qld.gov.au)



*Water Act  
2000*

## Trade Waste

### Application for Approval to Discharge Trade Waste into Sewer

Contact Council if you have any specific enquiries regarding fees or how to complete this form. Type or print clearly and select boxes where applicable. Enter "n/a" if the question does not apply.

#### Application is for

Trade Waste Permit Fee \$ \_\_\_\_\_

#### Applicant/s details

Select as applicable.

If applicant is a company,  
insert company name and  
ACN / ARBN.

Status of applicant  Property owner  Authorised agent

Company name ACN / ARBN

Title  (eg. Mr, Mrs, Miss etc.)

Family name  
Given names  
Position

I being the owner / authorised agent and the waste generator of the premises described in this form hereby make application to discharge trade waste from that premises into the Council's sewer.

Signature Date

Title  (eg. Mr, Mrs, Miss etc.)

Family name  
Given names  
Position

I being the owner / authorised agent and the waste generator of the premises described in this form hereby make application to discharge trade waste from that premises into the Council's sewer.

Signature Date

#### Contact details

Select as applicable.

Business  Private

Contact person

Postal address

Locality / Suburb State Postcode

Contact ph. Mobile

Contact fax Email

Business name must be registered with Fair Trading.

Please include shop / unit no.

Real property description - refer to Rates Notice.

Refer to information sheet.

E.g. restaurant, dry cleaners, electroplaters, butcher etc.

E.g. parts washing, acid bath, specific manufacturing processes, washing of utensils, plates etc.

E.g. pH correction, grease trap, silt trap, balance tank, biological process, etc.

## Business details

|                       |               |        |          |
|-----------------------|---------------|--------|----------|
| Business name         |               | BN     |          |
| Street address        |               |        |          |
|                       |               |        |          |
| Locality / Suburb     |               | State  | Postcode |
| Contact ph.           | Mobile        |        |          |
| Contact fax           | Email         |        |          |
| Lot no.               | Reg. plan no. | Parish |          |
| Rating assessment no. |               |        |          |

Discharge category  1  2  3

Permits are issued for categories 1 and 2 and an agreement is negotiated for category 3 waste.

|                                       |
|---------------------------------------|
| Nature of trade / business / industry |
|                                       |
| No. pedestals installed on premises   |

List all processes and activities from which a trade waste will be generated.

|  |
|--|
|  |
|  |
|  |
|  |
|  |

Described proposed / present method of pre-treatment of trade waste before discharge to sewer

|  |
|--|
|  |
|  |
|  |

Select as applicable.

Lessee  Tenant

|                         |      |
|-------------------------|------|
| Name of waste generator |      |
| Position                |      |
| Signature               | Date |

Select as applicable.

Business  Private

|                   |       |          |
|-------------------|-------|----------|
| Street address    |       |          |
|                   |       |          |
| Locality / Suburb | State | Postcode |

Enter postal address if different from street address.

|                   |       |          |
|-------------------|-------|----------|
| Postal address    |       |          |
|                   |       |          |
| Locality / Suburb | State | Postcode |

|             |        |
|-------------|--------|
| Contact ph. | Mobile |
| Contact fax | Email  |

## Description of flow

If continuous, insert continuous.

|   |
|---|
| Maximum daily discharge to sewer in litres  |
| Maximum rate of discharge in litres per hour  |
| Hours of the day and days of the week during which discharge will normally take place |
|   |

## Volume of discharge

Is water supply to the premises to be metered?  Yes  No

Estimate of water supplied that is not discharged into sewer

Basis for this estimate

Details of trade waste flow meter / measurement device (mandatory category 3; optional category 2)

|      |          |          |
|------|----------|----------|
| Type | Location | Accuracy |
|------|----------|----------|

Permanent installation  Temporary installation

Name of contractor to be used to clean trade waste pre-treatment equipment

|             |        |
|-------------|--------|
| Contact ph. | Mobile |
| Contact fax | Email  |

Present / proposed frequency of cleaning pre-treatment equipment

Weekly  Fortnightly  Monthly

Other Please state frequency \_\_\_\_\_

Food disposal units on premises 

|            |     |
|------------|-----|
| Motor size | No. |
|------------|-----|

Nature of trade waste / physical and chemical parameters

|                        |      |                   |      |
|------------------------|------|-------------------|------|
| BOD                    | mg/L | Temperature       | °C   |
| COD                    | mg/L | pH                |      |
| Suspended solids       | mg/L | Oil/grease        | mg/L |
| Total dissolved solids | mg/L | Sulphur compounds | mg/L |

Metals  No  Yes

Other compounds  No  Yes

If yes, list and give concentrations of metal / other chemicals

|  |
|--|
|  |
|  |
|  |

## Details of proposed self-monitoring program (category 3 only)

Identify / describe sampling point/s

Sampling frequency

Sample type  Grab  Composite

Method of sample collection  Manual  Automatic sampler

|                            |
|----------------------------|
| Parameters to be analysed  |
| NATA laboratory to be used |

Method of frequency of transferring results to Council

|  |
|--|
|  |
|--|

List provisions made to allow for the measurement and sampling by Council of trade waste prior to entry to sewer

|  |
|--|
|  |
|  |
|  |

**NB. The frequency of cleaning pre-treatment equipment will be detailed on the Trade Waste Permit.**

**Category 3 mandatory. Categories 1 and 2 if requested. Check with Council prior to discharge - this information may not be readily available.**

Give details of source of waste, volume, chemical analysis, frequency of analysis and method of disposal.

## Trade waste not discharged to sewer

|  |
|--|
|  |
|  |
|  |
|  |
|  |
|  |

## Lodgement

Please attach the following:

1. Two copies drawn to scale, not smaller than one to one hundred (1:100) trade waste plumbing and drainage layout plans showing:
  - detail and location of all processes, tanks, pits and apparatus which are associated with the generation of trade waste;
  - details of proposed pre-treatment processes / apparatus showing:
    - Flow diagram; and
    - Capacity / dimensions, material of construction and lining, operation and maintenance of all tanks, pits, dosing systems, pH correction and pumps etc.
  - details of pipes, floor channels and drains used to convey the trade waste effluent; and
  - details of flow measurement equipment (if applicable).

**Please note: This application and fee MUST be lodged with your Council**

## Privacy Statement

The Council is collecting your personal information in accordance with current legislation to process your application. The information will only be accessed by authorised council employees. Your personal details will not be disclosed to a third party outside the process of dealing with your application, except where required by legislation (including the *Right to Information Act 2009*) or as required by Queensland State Government.

## Office use only

|                    |     |                      |     |
|--------------------|-----|----------------------|-----|
| Application fee    |     | Reg. no.             |     |
| Receipt code       |     | ID no.               |     |
| Authorised officer |     | Inspection date      | / / |
| Recommendation     |     |                      |     |
|                    |     | Rec. no.             |     |
| Date               | / / | Account property no. |     |